

DESVIADORES PARA DISTRIBUDOR (3 VIE) - aluminio+caucho

01/2009

| CODIGO | TIPO | A | C | BRIDA | | | B | BRIDA | | | H | L | PESO kg | |
|---------|------|-----|-----|-------|----------|----|-----|-------|-----|----------|----|-----|------------|------|
| | | | | D | Agujeros | | | E | F | Agujeros | | | | |
| | | | | | diam. | n° | | | | diam. | n° | | | |
| D3P100 | A | 100 | 180 | 220 | 14 | 4 | 100 | 180 | 220 | 14 | 4 | 220 | 345 | 8 |
| D3P125 | A | 125 | 210 | 250 | 14 | 4 | 110 | 180 | 220 | 14 | 4 | 220 | 345 | 9,6 |
| D3P150 | A | 150 | 240 | 285 | 14 | 4 | 110 | 180 | 220 | 14 | 4 | 220 | 345 | 11,3 |
| D3P170 | A | 175 | 270 | 315 | 16 | 8 | 120 | 180 | 220 | 14 | 4 | 220 | 345 | 11,8 |
| D3P200 | A | 200 | 295 | 340 | 16 | 8 | 120 | 180 | 220 | 14 | 4 | 220 | 345 | 11,8 |
| D3P200B | A | 200 | 295 | 340 | 16 | 8 | 200 | 295 | 340 | 16 | 8 | 220 | 345 | 28 |


Las dimensiones y los pesos son aproximados.

DESVIADORES PARA DISTRIBUDOR (3 VIE) - en caucho

01/2009

| CODIGO | TIPO | A | C | BRIDA | | | B | BRIDA | | | H | L | M | PESO kg | |
|---------|------|-----|-----|-------|----------|----|-----|-------|-----|----------|----|-----|-----|------------|----|
| | | | | D | Agujeros | | | E | F | Agujeros | | | | | |
| | | | | | diam. | n° | | | | diam. | n° | | | | |
| D3P150R | F | 150 | 240 | 285 | 16 | 4 | 133 | 210 | 239 | 16 | 8 | 210 | 345 | 10 | 13 |
| D3P180R | F | 180 | 270 | 308 | 16 | 8 | 133 | 210 | 239 | 16 | 8 | 213 | 345 | 10 | 15 |
| D3P150A | F | 150 | 240 | 285 | 18 | 4 | 137 | 240 | 285 | 18 | 4 | 200 | 345 | -- | 15 |
| D3P180A | F | 200 | 270 | 340 | 18 | 8 | 137 | 240 | 285 | 18 | 4 | 180 | 345 | -- | 16 |
| D3P200A | F | 200 | 295 | 340 | 18 | 8 | 137 | 240 | 285 | 18 | 4 | 180 | 345 | -- | 16 |
| D3P300 | F | 305 | 400 | 44 | 24 | 12 | 170 | 270 | 315 | 18 | 8 | 220 | 550 | -- | 35 |

Las dimensiones y los pesos son aproximados.






DESVIADORES 4 VIAS - aluminio+caucho

01/2009

| CODICE | TIPO | A | FLANGIA | | | | B | E | FLANGIA | | | | S | T | V | FLANGIA | | L | M | PESO Kg |
|--------|------|-----|---------|-----|-------|----|----|-----|---------|-------|----|-------|-----|-----|-----|---------|-----|-----|-----|---------|
| | | | C | D | FORI | | | | F | FORI | | DIAM. | | | | n° | | | | |
| | | | | | DIAM. | n° | | | | DIAM. | n° | | | | | | | | | |
| D4100 | C | 100 | 180 | 220 | 14 | 4 | 50 | 125 | 165 | 14 | 4 | - | - | - | - | - | 315 | 315 | 9,2 | |
| D4125 | D | 125 | 210 | 250 | 16 | 4 | 50 | 125 | 165 | 14 | 4 | 50 | 125 | 165 | M12 | 4 | 315 | 150 | 11 | |
| D4250 | G | 253 | 350 | 395 | 20 | 12 | 73 | 160 | 200 | M12 | 4 | 53 | 125 | 165 | M12 | 4 | 312 | 307 | 30 | |

Las dimensiones y los pesos son aproximados.



DESVIADORES 5 VIAS - aluminio+caucho

| CODIGO | A | BRIDA | | | | B | BRIDA | | | | N | BRIDA | | | | S | BRIDA | | | | L | M | PESO Kg |
|--------|-----|-------|-----|----------|----|----|-------|-----|----------|----|----|-------|-----|----------|----|----|-------|-----|----------|----|-----|-----|------------|
| | | C | D | Agujeros | | | E | F | Agujeros | | | P | Q | Agujeros | | | T | V | Agujeros | | | | |
| | | | | diam. | n. | | | | diam. | n. | | | | diam. | n. | | | | diam. | n. | | | |
| D5125 | 125 | 210 | 250 | 16 | 4 | 50 | 125 | 165 | 14 | 4 | 25 | 85 | 120 | 10MA | 4 | 50 | 125 | 165 | 12MA | 4 | 415 | 150 | 13 |
| D5150 | 150 | 240 | 285 | 16 | 4 | 70 | 160 | 200 | 14 | 4 | 25 | 85 | 120 | 10MA | 4 | 50 | 125 | 165 | 12MA | 4 | 415 | 200 | 17 |
| D5175 | 180 | 270 | 315 | 16 | 8 | 70 | 160 | 200 | 14 | 4 | 25 | 85 | 120 | 10MA | 4 | 50 | 125 | 165 | 12MA | 4 | 440 | 205 | 21,4 |
| D5180 | 180 | 295 | 340 | 16 | 8 | 70 | 160 | 200 | 14 | 4 | 25 | 85 | 120 | 10MA | 4 | 50 | 125 | 165 | 12MA | 4 | 440 | 205 | 24 |

Las dimensiones y los pesos son aproximados.

